



# Willowbrook

835 Midway Drive  
Willowbrook, IL 60527-5549

Phone: (630) 323-8215 Fax: (630) 323-0787 [www.willowbrookil.org](http://www.willowbrookil.org)

## Mayor

Frank A. Trilla

## Village Clerk

Leroy R. Hansen

## Village Trustees

Sue Berglund

Umberto Davi

Terrence Kelly

Michael Mistele

Gayle Neal

Paul Oggerino

## Village Administrator

Brian Pabst

## Chief of Police

Robert Schaller

## Director of Finance

Carrie Dittman

For Immediate Release

Monday, December 16, 2019

## Decommissioning Update #1 for Sterigenics

### Sterigenics locations: 830 Midway Drive and 7775 Quincy Street

As part of the Sterigenics decommission process, the Village of Willowbrook will be granting two (2) Building Permits for removal of their one (1) nitrogen tank at each location.

**Tentative Schedule:** Starting in the morning of both Wednesday, December 18, 2019 and Thursday, December 19, 2019

**What equipment will be involved:** A crane, flatbed trailers, miscellaneous supporting equipment and field personnel will be present.

**Process will be witnessed by personnel from:** Both the Tri-State Fire Protection District and the Village of Willowbrook Building Department.

**What you can expect to hear and see:** In the immediate vicinity you *may* hear a loud hissing sound (for up to one hour) as the nitrogen is being released, followed by seeing a water vapor fog which should dissipate within approximately an hour.

**Why is this necessary?** Sterigenics leased these tanks. The return process requires tanks to be emptied prior to transporting.

**Then what happens?** The emptied tanks will be removed from the building, placed on the flatbed trucks and then transported out of our jurisdiction and returned to the leasing company.

Please note that this process does not pose a health risk to the general population.



Proud Member of the  
Illinois Route 66 Scenic Byway